

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20040066699"	US-PGPUB	ADJ	ON	2005/07/06 14:55
S2	28995	((drive or storage or HDD or device) near3 (configur\$5)) same (characteristic or attribute or feature or propert\$3 or aspect)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/10 12:21
S3	8652	711/147 or 711/170 or 711/172 or 711/112 or 713/1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 10:16
S5	13057	((drive or storage or HDD or device) near3 (configur\$5)) with (characteristic or attribute or feature or propert\$3 or aspect)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:23
S7	2013	((drive or storage or HDD or device) near3 (configur\$5)) with (characteristic or attribute or feature or propert\$3 or aspect) and (initializ\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 11:06
S8	123	S3 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 10:19
S11	1273	((drive or storage or HDD or device) near3 (configur\$5)) with (characteristic or attribute or feature or propert\$3) and (initializ\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 11:59
S12	70	S3 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 11:06
S13	2	("6,578.091" "5.909.592" "5,822.614" "5,721" "952" "5,430,855" "5,237,689").pn.	USPAT	OR	ON	2005/07/11 11:50
S14	6	("6,578,091" "5,909,592" "5,822,614" "5,721,952" "5,430,855" "5,237,689").pn.	USPAT	OR	ON	2005/07/11 11:59

S15	76	((drive or storage or HDD or device) near3 (configur\$5)) with (characteristic or attribute or feature or propert\$3) same (initializ\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 12:00
S17	33	((drive or storage or HDD or device) near3 (configur\$5)) with (characteristic or attribute or feature or propert\$3) with (initializ\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 12:11
S18	6	((drive or storage or HDD or device) near4 (configur\$5) near4 (initializ\$5)) with (characteristic or attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 12:13
S19	13	((drive or storage or HDD or device) near4 (initializ\$5)) with (characteristic or attribute) near4 (configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 12:14
S20	13	S19 not S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 12:14
S21	1	"6578091".pn.	USPAT	ADJ	ON	2005/10/10 12:15
S22	38	(drive or HDD or device or DASD) near8 (configur\$5) near8 (initializ\$5) with (characteristic or attribute or feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/10 12:23
S23	1	"5909592".pn.	USPAT	ADJ	ON	2005/10/10 12:39
S24	1	"5822614".pn.	USPAT	ADJ	ON	2005/10/10 12:46
S25	1	"5721952".pn.	USPAT	ADJ	ON	2005/10/10 12:52
S26	1	"5430855".pn.	USPAT	ADJ	ON	2005/10/10 12:52
S27	1	"5430855".pn.	USPAT	ADJ	ON	2005/10/28 09:39
S28	1	"5237689".pn.	USPAT	ADJ	ON	2005/10/28 09:39
S29	7845	(711/170 or 711/171 or 711/172 or 711/173 or 711/112 or 711/147)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:22
S30	1	"5237689".pn.	USPAT	ADJ	ON	2005/10/28 10:21

S31	10962	(711/170 or 711/171 or 711/172 or 711/173 or 711/112 or 711/147 or 713/1 or 710/10)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:22
S32	4359	(drive or storage or HDD or device) near3 (configur\$5) with (characteristic or attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:31
S33	115	S31 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:24
S34	57	S31 and S32 and (capacity or emulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:29
S35	58	S33 not S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:29
S36	10	(drive or HDD or device or DASD) near3 (configur\$5) with (characteristic or attribute) with initializ\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:38
S37	820325	HITACHI.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:37
S39	47321	(drive or HDD or device or DASD) and (configur\$5) and (characteristic or attribute) and initializ\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:38

S41	13	(drive or HDD or device or DASD) near20 (configur\$5) near20 (characteristic or attribute) near20 initializ\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:39
S42	243	(drive or HDD or device or DASD) same (configur\$5) same (characteristic or attribute) same initializ\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:39
S43	3	S37 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:39

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

Help in All Fields **AND** in All Fields **AND** in All Fields

» Note: If you use all three search boxes, the entries in the first two boxes takes precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

Help

(drive* or HDD or device* or DASD) and
(configur*) and (characteristic* or
attribute*) and initializ*

#1 0 hits

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications**Select publications**

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference I
- ☒ IEE Conference Pr
- ☒ IEEE Standards

» Other Resources (Availab

- ☒ IEEE Books

» Select date range

- ☐ Search latest content up
- ☒ From year All to Present

» Display Format

- ☒ Citation ☐ Citatio

» Organize results

- Maximum 100
- Display 25 resu
- Sort by Relevance
- In Descending

[Help](#) [Contact Us](#)

© Copyright 20

Indexed by



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

☐ Advanced Search[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#)

<input type="text"/>	in All Fields	
<input type="text" value="AND"/> <input type="text"/>	in All Fields	
<input type="text" value="AND"/> <input type="text"/>	in All Fields	

» Note: If you use all three search boxes, the entries in the first two boxes takes precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

<div>(drive* or HDD or device* or DASD) <sentence> (configur*) <sentence> (characteristic* or attribute*)</div> <div>#2 115 k.t</div>	
---	--

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference I
- ☒ IEE Conference Pr
- ☒ IEEE Standards

» Other Resources (Availab

- ☒ IEEE Books

» Select date range

- ☐ Search latest content u
- ☒ From year to

» Display Format

- ☒ Citation ☐ Citatio

» Organize results

- Maximum
- Display resu
- Sort by
- In

[Help](#) [Contact Us](#)

© Copyright 20

Indexed by



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

☐ Advanced Search[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#) in All Fields ☒ AND in All Fields ☒ AND in All Fields

» Note: If you use all three search boxes, the entries in the first two boxes takes precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

(drive* or HDD or device* or DASD)
<sentence> (configur*) <sentence>
(characteristic* or attribute*) and
(hardware or type or base)

#3 49 hits

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference I
- ☒ IEE Conference P
- ☒ IEEE Standards

» Other Resources (Available)

- ☒ IEEE Books

» Select date range

- ☐ Search latest content up to
- ☒ From year All to Present

» Display Format

- ☒ Citation
- ☐ Citation

» Organize results

Maximum 100 Display 25 resultsSort by Relevance In Descending [Help](#) [Contact Us](#)

© Copyright 2005

Indexed by
 Inspec



Welcome United States Patent and Trademark Office

☐ Search Session History[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Fri, 28 Oct 2005, 11:02:08 AM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 (((drive* or hdd or device* or dasd) and(configur*) and (characteristic* or attribute*) and initializ*)<in>metadata)
- #2 (((drive* or hdd or device* or dasd) <sentence> (configur*) <sentence> (characteristic* or attribute*))<in>metadata)
- #3 (((drive* or hdd or device* or dasd) <sentence> (configur*) <sentence> (characteristic* or attribute*) and (hardware or type or base))<in>metadata)

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE –

Indexed by
 Inspect

ACM Search History

+abstract:configur* +abstract:attribute* ... 46 hits

+abstract:configur* and +abstract:characteristic*

+abstract:drive* ... 5 hits

+abstract:configur* and +abstract:characteristic*

+abstract:device* ... 14 hits

A handwritten signature or set of initials, possibly 'D' or 'A', written in black ink.

10/28/05